Contents

Amouroux, J. M.; Amouroux, J.: Comparative study of the carbon cycle in *Venus verrucosa* fed on bacteria and phytoplankton. III. Comparison of models 339
Amouroux, J.: see Amouroux, J. M., 339
Ansell, A. D.: see Morvan, C., 355
Axelsson, L.: Changes in pH as a measure of photosynthesis by marine macroalgae 287
Axelsson, L.; Uusitalo, J.: Carbon acquisition strategies for marine macroalgae. I. Utilization of proton exchanges visualized during photosynthesis in a closed system 295
Axiak, V.; George, J. J.; Moore, M. N.: Petroleum hydrocarbons in the marine bivalve *Venus verrucosa:* accumulation and cellular responses 225

Baatrup, E.: see Jensen, P. K., 533
Bathmann, U. V.: Mass occurrence of *Salpa fusiformis* in the spring of 1984 off Ireland: implications for sedimentation processes 127
Bojanowski, R.: see Skwarzec, B., 301
Bone, Q.: see Morris, R. J. et al., 237
Booth, B. C.: Size classes and major taxonomic groups of phytoplankton at two locations in the subarctic Pacific Ocean in May and August, 1984 275
Bourget, E.: see Chabot, R., 45
Bourget, E.: see Le Tourneux, F., 57
Boyd, C. M.: see Price, H. J. et al., 67
Boyd, K. R.: see Price, H. J. et al., 67
Braconnot, J. C.: see Morris, R. J. et al., 237
Brown, L. N.; Robinson, M. G.; Hall, B. D.: Mechanisms for copper tolerance in *Amphora coffeaeformis* – internal and external binding 581
Buckley, L. J.: see Gould, E. et al., 217
Burton, H. R.: see Kirkwood, J. M., 445

Chabot, R.; Bourget, E.: Influence of substratum heterogeneity and settled barnacle density on the settlement of cypris larvae 45
Cherry, R. D.: see Heyraud, M. et al., 507
Clement, J.-C.: see Durand Clement, M. et al., 37
Costlow, J. D.: see Maki, J. S. et al., 199
Craigie, J. S.: see Molina, F. I. et al., 431

DeBevoise, A. E.; Taghon, G. L.: RNA:DNA ratios of the hydrothermal-vent vestimentiferans *Ridgeia piscesae* and *R. phaeophiale* indicate variations in growth rates over small spatial scales 421
De Wachter, B.; Wolf, G.; Richard, A.; Decleir, W.: Regulation of respiration during juvenile development of *Sepia officinalis* (Mollusca: Cephalopoda) 365
Decho, A. W.; Fleeger, J. W.: Ontogenetic feeding shifts in the meiobenthic harpacticoid copepod *Nitocra lacustris* 191
Decleir, W.: see De Wachter, B. et al., 365
Dinet, A.: see Robert, R. et al., 95
Domanski, P.: see Heyraud, M. et al., 507
Donnelly, J.; Torres, J. J.: Oxygen consumption of midwater fishes and crustaceans from the eastern Gulf of Mexico 483
Du Bois, K. R.: see Gerard, V. A., 575
Dudler, N.; Miller, D. J.: Characterization of two glutamate dehydrogenases from the symbiotic microalga *Symbiodinium microadriaticum* isolated from the coral *Acropora formosa* 427
Durand Clement, M.; Clement, J.-C.; Moreau, A.; Jeanne, N.; Puiseux-Dao, S.: New ecological and ultrastructural data on the dinoflagellate *Dinophysis* sp. from the French coast 37

Endo, M.; Foscarini, R.; Kuroki, A.: Electrocardiogram of a marine fish, *Pagrus major,* exposed to red tide plankton, *Chattonella marina* 477

Farrand, A. L.; Williams, D. C.: Isolation, purification and partial characterization of four digestive proteases from the purple seastar *Pisaster ochraceus* 231
Fasham, M. J. R.: see Heyraud, M. et al., 507
Fleeger, J. W.: see Decho, A. W., 191
Foscarini, R.: see Endo, M. et al., 477
Fowler, B. A.; Gould, E.: Ultrastructural and biochemical studies of intracellular metal-binding patterns in kidney tubule cells of the scallop *Placopecten magellanicus* following prolonged exposure to cadmium or copper 207

George, J. J.: see Axiak, V. et al., 225
Gerard, V. A.: Ecotypic differentiation in light-related traits of the kelp *Laminaria saccharina* 25
Gerard, V. A.; Du Bois, K. R.: Temperature ecotypes near the southern boundary of the kelp *Laminaria saccharina* 575
Giere, O.; Wirsen, C. O.; Schmidt, C.; Jannasch, H. W.: Contrasting effects of sulfide and thiosulfate on symbiotic CO_2-assimilation of *Phallodrilus leukodermatus* (Annelida) 413
Gleason, D. F.; Wellington, G. M.: Food resources of postlarval brown shrimp (*Penaeus aztecus*) in a Texas salt marsh 329
Glover, H. E.; Smith, A. E.: Diel patterns of carbon incorporation into biochemical constituents of *Synechococcus* spp. and larger algae in the Northwest Atlantic Ocean 259
Gould, E.; Thompson, R. J.; Buckley, L. J.; Rusanowsky, D.; Sennefelder, G. R.: Uptake and effects of copper and cadmium in the gonad of the scallop *Placopecten magellanicus:* concurrent metal exposure 217
Gould, E.: see Fowler, B. A., 207
Graham, J. B.: see Rubinoff, I. et al., 157
Greenwood, J. G.: see Jacoby, C. A., 309
Grémare, A.: Feeding, tube-building and particle-size selection in the terebellid polychaete *Eupolymnia nebulosa* 243
Gröndahl, F.: A comparative ecological study on the scyphozoans *Aurelia aurita, Cyanea capillata* and *C. lamarckii* in the Gullmar Fjord, western Sweden, 1982 to 1986 541
Gunnersen, J.; Yellowlees, D.; Miller, D. J.: The ammonium/methylammonium uptake system of *Symbiodinium microadriaticum* 593
Gustafson, R. G.; Reid, R. G. B.: Larval and post-larval morphogenesis in the gutless protobranch bivalve *Solemya reidi* (Cryptodonta: Solemyidae) 373
Gustafson, R. G.; Reid, R. G. B.: Association of bacteria with larvae of the gutless protobranch bivalve *Solemya reidi* (Cryptodonta: Solemyidae) 389

Hall, B. D.: see Brown, L. N. et al., 581
Hamner, W. M.: see Matsumoto, G. I., 551
Head, R.: see Morris, R. J. et al., 237
Herbert, S. K.; Waaland, J. R.: Photoinhibition of photosynthesis in a sun and a shade species of the red algal genus *Porphyra* 1
Heyraud, M.; Domanski, P.; Cherry, R. D.; Fasham, M. J. R.: Natural tracers in dietary studies: data for ^{210}Po and ^{210}Pb in decapod shrimp and other pelagic organisms in the Northeast Atlantic Ocean 507
Himmelman, J. H.: Movement of whelks (*Buccinum undatum*) towards a baited trap 521
His, E.: see Robert, R. et al., 95

Hjelmeland, K.: see Pedersen, B. H., 467
Holland, N. D.: see Leonard, A. B. et al., 111
Hughes, G. C.: see Molina, F. I. et al., 431

Innes, D. J.: Genetic differentiation in the intertidal zone in populations of the alga *Enteromorpha linza* (Ulvales: Chlorophyta) 9

Jacoby, C. A.; Greenwood, J. G.: Spatial, temporal, and behavioral patterns in emergence of zooplankton in the lagoon of Heron Reef, Great Barrier Reef, Australia 309
Jannasch, H. W.: see Giere, O. et al., 413
Jeanne, N.: see Durand Clement, M. et al., 37
Jensen, P. K.; Baatrup, E.: Histochemical demonstration of mercury in the intestine, nephridia and epidermis of the marine polychaete *Nereis virens* exposed to inorganic mercury 533

Kanna, R. A.: see Yano, I. et al., 171
Kirkwood, J. M.; Burton, H. R.: Macrobenthic species assemblages in Ellis Fjord, Vestfold Hills, Antarctica 445
Kleppel, G. S.; Pieper, R. E.; Trager, G.: Variability in the gut contents of individual *Acartia tonsa* from waters off Southern California 185
Koyama, M.: see Masuzawa, T. et al., 587
Kroen, W. K.: see Parrish, J. K., 165
Kuroki, A.: see Endo, M. et al., 477
Kyomo, J.: Analysis of the relationship between gonads and hepatopancreas in males and females of the crab *Sesarma intermedia*, with reference to resource use and reproduction 87

Larkum, A. W. D.: High rates of nitrogen fixation on coral skeletons after predation by the crown of thorns starfish *Acanthaster planci* 503
Lee-shing Fang, Pouyan Shen: A living mechanical file: the burrowing mechanism of the coral-boring bivalve *Lithophaga nigra* 349
Le Tourneux, F.; Bourget, E.: Importance of physical and biological settlement cues used at different spatial scales by the larvae of *Semibalanus balanoides* 57
Leonard, A. B.; Strickler, J. R.; Holland, N. D.: Effects of current speed on filtration during suspension feeding in *Oligometra serripinna* (Echinodermata: Crinoidea) 111
Lopez de Pariza, J. M.: see Ortega, M. M. et al., 137

MacCrimmon, H. R.: see Villaluz, A. C., 145
Maki, J. S.; Rittschof, D.; Costlow, J. D.; Mitchell, R.: Inhibition of attachment of larval barnacles, *Balanus amphitrite*, by bacterial surface films 199
Masuzawa, T.; Koyama, M.; Terazaki, M.: A regularity in trace element contents of marine zooplankton species 587
Matsumoto, G. I.; Hamner, W. M.: Modes of water manipulation by the lobate ctenophore *Leucothea* sp. 551
Michaels, A. F.: Vertical distribution and abundance of Acantharia and their symbionts 559
Miller, D. J.: see Dudler, N., 427
Miller, D. J.: see Gunnersen, J. et al., 593
Mitchell, R.: see Maki, J. S. et al., 199
Molina, F. I.; Hughes, G. C.; Craigie, J. S.: Temperature-influenced infection rates in the *Chondrus crispus-Petersenia pollagaster* pathosystem: a regression analysis 431
Moore, M. N.: see Axiak, V. et al., 225
Moreau, A.: see Durand Clement, M. et al., 37
Morris, R. J.; Bone, Q.; Head, R.; Braconnot, J. C.; Nival, P.: Role of salps in the flux of organic matter to the bottom of the Ligurian Sea 237
Morris, R. J.: see Ridout, P. S., 597
Morvan, C.; Ansell, A. D.: Stereological methods applied to reproductive cycle of *Tapes rhomboides* 355
Motta, J.: see Rubinoff, I. et al., 157

Navarro, E.: see Ortega, M. M. et al., 137
Nemoto, T.: see Suh, H.-L., 79
Nishimura, A.; Yamada, J.: Geographical differences in early growth of walleye pollock *Theragra chalcogramma*, estimated by back-calculation of otolith daily growth increments 459
Nival, P.: see Morris, R. J. et al., 237

Ólafsson, E. B.: Inhibition of larval settlement to a soft bottom benthic community by drifting algal mats: an experimental test 571
O'Neal, S. W.; Prince, J. S.: Seasonal effects of light, temperature, nutrient concentration and salinity on the physiology and growth of *Caulerpa paspaloides* (Chlorophyceae) 17
Ortega, M. M.; Lopez de Pariza, J. M.; Navarro, E.: Seasonal changes in the biochemical composition and oxygen consumption of the sea anemone *Actinia equina* as related to body size and shore level 137
Oyama, R. N.: see Yano, I. et al., 171

Parrish, J. K.; Kroen, W. K.: Sloughed mucus and drag-reduction in a school of Atlantic silversides, *Menidia menidia* 165
Pedersen, B. H.; Hjelmeland, K.: Fate of trypsin and assimilation efficiency in larval herring (*Clupea harengus*) following digestion of copepods 467
Petraitis, P. S.: Occurrence and reproductive success of feminized males in the polychaete *Capitella capitata* (Species Type I) 403
Pieper, R. E.: see Kleppel, G. S. et al., 185
Pouyan Shen: see Lee-shing Fang, 349
Prézelin, B. B.: see Putt, M. et al., 435
Price, H. J.; Boyd, K. R.; Boyd, C. M.: Omnivorous feeding behavior of the Antarctic krill *Euphausia superba* 67
Prince, J. S.: see O'Neal, S. W., 17
Puiseux-Dao, S.: see Durand Clement, M. et al., 37
Putt, M.; Rivkin, R. B.; Prézelin, B. B.: Effects of altered photic regimes on diel patterns of species-specific photosynthesis. I. Comparison of polar and temperate phytoplankton 435

Raghu-kumar, S.: Detection of the thraustochytrid protist *Ulkenia visurgensis* in a hydroid, using immunofluorescence 253
Reid, R. G. B.: see Gustafson, R. G., 373, 389
Richard, A.: see De Wachter, B. et al., 365
Ridout, P. S.; Morris, R. J.: Further studies of short-term variation in the pigment composition of a spring phytoplankton bloom 597
Rittschof, D.: see Maki, J. S. et al., 199
Rivkin, R. B.: see Putt, M. et al., 435
Robert, R.; His, E.; Dinet, A.: Combined effects of temperature and salinity on fed and starved larvae of the European flat oyster *Ostrea edulis* 95
Robertson, D. R.: Abundances of surgeonfishes on patch-reefs in Caribbean Panamá: due to settlement, or post-settlement events? 495
Robinson, M. G.: see Brown, L. N. et al., 581
Robinson, W. E.; Ryan, D. K.: Transport of cadmium and other metals in the blood of the bivalve mollusc *Mercenaria mercenaria* 101
Rodier, M.: see Slawyk, G., 269
Rubinoff, I.; Graham, J. B.; Motta, J.: Diving of the sea snake *Pelamis platurus* in the Gulf of Panamá. II. Horizontal movement patterns 157
Rusanowsky, D.: see Gould, E. et al., 217
Ryan, D. K.: see Robinson, W. E., 101

Schmidt, C.: see Giere, O. et al., 413
Sennefelder, G. R.: see Gould, E. et al., 217
Skwarzec, B.; Bojanowski, R.: ^{210}Po content in sea water and its accumulation in southern Baltic plankton 301
Slawyk, G.; Rodier, M.: Biosynthetically active glutamine synthetase in the marine diatom *Phaeodactylum tricornutum:* optimization of the forward-reaction assay 269
Smith, A. E.: see Glover, H. E., 259
Strickler, J. R.: see Leonard, A. B. et al., 111
Suh, H.-L.; Nemoto, T.: Morphology of the gastric mill in ten species of euphausiids 79

Taghon, G. L.: see DeBevoise, A. E., 421
Terazaki, M.; Wada, M.: Occurrence of large numbers of carcasses of the large, grazing copepod *Calanus cristatus* from the Japan Sea 177
Terazaki, M.: see Masuzawa, T. et al., 587
Thompson, R. J.: see Gould, E. et al., 217
Torres, J. J.: see Donnelly, J., 483
Trager, G.: see Kleppel, G. S. et al., 185

Uusitalo, J.: see Axelsson, L., 295

Vézina, A. F.: Sampling variance and the design of quantitative surveys of the marine benthos 151
Villaluz, A. C., MacCrimmon, H. R.: Meristic variations in milkfish *Chanos chanos* from Philippine waters 145

Waaland, J. R.: see Herbert, S. K., 1
Wada, M.: see Terazaki, M., 177
Wellington, G. M.: see Gleason, D. F., 329
Williams, D. C.: see Farrand, A. L., 231
Wirsen, C. O.: see Giere, O. et al., 413
Wolf, G.: see De Wachter, B. et al., 365
Wyban, J. A.: see Yano, I. et al., 171

Yamada, J.: see Nishimura, A., 459
Yano, I.; Kanna, R. A.; Oyama, R. N.; Wyban, J. A.: Mating behaviour in the penaeid shrimp *Penaeus vannamei* 171
Yellowlees, D.: see Gunnersen, J. et al., 593

Indexed in *Current Contents*